

AD A 074624

DDC ACCESSION NUMBER

II
LEVEL

DATA PROCESSING SHEET

PHOTOGRAPH THIS SHEET

1
INVENTORY

AEC WT-801
DOCUMENT IDENTIFICATION

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DISTRIBUTION STATEMENT

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced Justification	<input type="checkbox"/>
By <u>Res. Hrs. on file</u>	
Distribution/	
Availability Codes	
Dist.	Avail and/or special
<u>A</u>	

DISTRIBUTION STAMP

DDC
RECEIVED
OCT 3 1979
RECEIVED

DATE ACCESSIONED

79 10 01 120

DATE RECEIVED IN DDC

PHOTOGRAPH THIS SHEET

AND RETURN TO DDA-2

UNCLASSIFIED

~~CONFIDENTIAL~~

a/8223

WT-801

Copy No. 209 A

CF

18 MAR 1954

AD A 074624

Operation UPSHOT-KNOTHOLE


NEVADA PROVING GROUNDS

March - June 1953

Project 21.1

EFFECTS OF AN ATOMIC EXPLOSION ON UNDERGROUND AND
BASEMENT TYPES OF HOME SHELTERS

Classification (Cancelled) assigned to **UNCLASSIFIED**
by Authority of *AECOR ltr. 4/10/63*
by *W. Jelena* Date *4/22/63*



~~RESTRICTED DATA~~
~~CONFIDENTIAL~~
This document contains restricted data as defined in the Atomic Energy Act of 1946. Its transmission for the disclosure of its contents in any manner to an unauthorized person is prohibited.

FEDERAL CIVIL DEFENSE ADMINISTRATION
WASHINGTON, D.C.

UNCLASSIFIED

~~CONFIDENTIAL~~

**If this report is no longer needed, return it to
AEC Technical Information Service
P. O. Box 401
Oak Ridge, Tennessee**

[REDACTED]

UNCLASSIFIED

WT-801

This document consists of 51 pages
No. 209 of 345 copies, Series A

Report to the Test Director

**EFFECTS OF AN ATOMIC EXPLOSION
ON UNDERGROUND AND BASEMENT TYPES
OF HOME SHELTERS**

By

Joseph B. Byrnes

Approved by: HAROLD L. GOODWIN
Director, Program 21

Approved by: ROBERT L. CORSBIE
Director
Civil Effects Test Group

Federal Civil Defense Administration
Washington, D. C.
October 1953

~~RESTRICTED DATA~~
~~CONFIDENTIAL~~
This document contains restricted data as defined in the Atomic Energy Act of 1946. Its transmission or the disclosure of its contents in any manner to an unauthorized person is prohibited.

UNCLASSIFIED

[REDACTED]

ABSTRACT

This joint FCDA-AEC project was conducted to check the adequacy of several proposed home shelter designs.

Underground earth-covered shelters were exposed to a 16.4-kt, 300-ft tower shot at ranges of 1230 ft (one), 1450 ft (one), 1800 ft (five), and 3500 ft (one). Two types of basement shelters were constructed in each of the test houses at 3500 and 7500 ft (Project 21.2).

Instrumentation was by gamma-radiation badges, paraffin cubes, and nylon swatches. Attempts were made to measure permanent deflections of concrete roof slabs. Mannequins were placed in several shelters for purposes of demonstration and observation of blast-caused movement.

A weighted mannequin in the underground shelter at 1230 ft was broken in half; an unweighted one (child size) was thrown to the floor. All other mannequins remained in place, undamaged. Paraffin cubes and nylon swatches showed no evidence of thermal damage. Fallout conditions made it impossible to determine initial gamma-radiation quantities. There was no cracking or permanent deflection of the concrete roof slabs. Except for a wood-covered, trench type shelter, which partially failed because of faulty construction, the shelters showed no blast damage.

Thermal energy entering the shelters probably would not have caused skin burns to human occupants.

Adequacy of the shelters under full design loads could not be determined because pressures were lower than expected, but the shelter designs were structurally acceptable under test pressures received. Future tests are required under higher pressures. The basement shelters should be tested under masonry debris loads.

ACKNOWLEDGMENTS

L. A. Darling Company of Bronson, Mich., loaned, without charge to the Federal Civil Defense Administration (FCDA), all department-store mannequins used in the shelters.

North American Van Lines transported mannequins to and from Las Vegas, Nev., without cost to FCDA.

The Atlas Trucking Company of Las Vegas, as a public service, hauled mannequins to and from the Nevada Proving Grounds.

The J. C. Penney Company of Las Vegas, through the National Retail Dry Goods Association, donated clothing and dressed all mannequins used in this test.

The film and film holders used in the measurement of the gamma-radiation dose were supplied by the Radiation Instruments Branch of the U. S. Atomic Energy Commission, and the films were processed and read at the National Bureau of Standards.

Jack C. Greene of the Health and Special Weapons Defense Office of FCDA assembled and supervised the placing of the badges and interpreted the film readings.

Benjamin C. Taylor, Director of the Technical Division, and A. S. Neiman of FCDA reviewed this report.

CONTENTS

	Page
ABSTRACT	3
ACKNOWLEDGMENTS	5
1 INTRODUCTION	9
1.1 Objective	9
1.2 Background	9
1.3 Instrumentation	9
2 TEST RESULTS	10
2.1 Gamma-radiation Penetration	10
2.2 Thermal-radiation Effects	10
2.3 Blast Effects	10
3 DISCUSSION	12
3.1 Analysis of Gamma-radiation Data	12
3.2 Analysis of Thermal-radiation-effects Data	12
3.3 Analysis of Blast-effects Data	12
3.4 Conclusions	13
3.5 Recommendations	13
APPENDIX LOCATIONS AND STRUCTURAL DETAILS OF SHELTERS.	35

ILLUSTRATIONS

1 Temperature-recording Strips	15
2 Reinforced Concrete Basement Exit Before Blast	16
3 Reinforced Concrete Basement Exit After Blast	17
4 Entrance to Reinforced Concrete Basement Exit After Blast	18
5 Entrance to Covered Trench at 1800 Ft Before Blast	19
6 Shaft Entrance to Wood-covered Trench Before Blast	20
7 Shaft Entrance to Wood-covered Trench After Blast	21
8 Blast Damage to Wood-covered Trench	22
9 Closed Entrance to Covered Trench Before Blast	23
10 Entrance to Block-wall Basement Exit Before Blast	24
11 Entrance to Block-wall Basement Exit After Blast	25
12 Shaft Entrance to Concrete Pipe Before Blast	26

ILLUSTRATIONS (Continued)

	Page
13 Covered Trench at 3500 Ft Before Blast	27
14 Lean-to at 3500 Ft Before Blast	28
15 Lean-to at 3500 Ft After Blast	29
16 Lean-to at 7500 Ft Before Blast	30
17 Basement Corner Room at 3500 Ft Before Blast	31
18 Basement Corner Room at 7500 Ft Before Blast	32
19 Basement Corner Room at 7500 Ft After Blast	33
20 Damage to Basement Corner Room at 3500 Ft	34
A.1 Location Plan	37
A.2 Reinforced Concrete Basement Exit	38
A.3 Covered Trench at 1450, 1800, and 3500 Ft	39
A.4 Wood-covered Trench	40
A.5 Covered Trench with Closed Shaft Entrance	41
A.6 Block-wall Basement Exit	42
A.7 Concrete Pipe with Closed Shaft Entrance	43
A.8 Wooden Lean-to at 3500 and 7500 Ft	44
A.9 Basement Corner Room at 3500 and 7500 Ft	45

~~CONFIDENTIAL~~

EFFECTS OF AN ATOMIC EXPLOSION ON UNDERGROUND AND BASEMENT TYPES OF HOME SHELTERS

1 INTRODUCTION

1.1 Objective

Eight outdoor and four indoor home type shelters, located at various distances from Ground Zero (Fig. A.1), were constructed at the Nevada Proving Grounds (NPG) and exposed to a 16.4-kt atomic device exploded at an altitude of 300 ft (Operation Upshot-Knothole, shot 1). The purpose of the test was to check the adequacy of several types of home shelters, proposed by the Federal Civil Defense Administration (FCDA), against gamma-radiation penetration and thermal and blast effects.

1.2 Background

Several types of home shelters, designed by Lehigh University Institute of Research for FCDA, were tested in the Buster series of October and November 1951, and the results were reported.¹ These tests showed weaknesses in the entrances. Since many of the underground shelters were constructed of wood which would have a comparatively short life in many parts of the United States, it was decided to use building materials of a more permanent nature. The covered trench was redesigned with reinforced concrete-block walls and with wood and concrete roofs; the basement corner room, the block-wall basement exit, and the concrete pipe were added as new types; and the Lehigh lean-to was modified for attachment to the basement wall. The Lehigh design for the reinforced concrete basement exit was selected as the most blast resistant. Since a manual on home shelters was being prepared, a field test of these shelters was considered necessary.

1.3 Instrumentation

No funds were available for instrumentation, and consequently it was necessary to improvise in an effort to determine thermal and blast effects. Eight gamma-radiation film badges were placed in each of the underground shelters, five in each of the two basement corner rooms, and two in each of the two lean-to's. Badges were attached to the walls of the shelters by nailing through adhesive tape slings or taping to studs driven into the concrete. Locations and total doses recorded by badges and distances of the shelters from Ground Zero are shown in Fig. A.1.

One treated-paper temperature-recording strip, mounted on 4- by 5- by $\frac{3}{16}$ -in. plywood and furnished by the Quartermaster Research and Development Laboratory of Philadelphia, Pa., was nailed to the top of the bench in the reinforced concrete basement exit at 1230 ft from

~~CONFIDENTIAL~~
~~RESTRICTED DATA~~
~~UNCLASSIFIED~~

Ground Zero; one was nailed to the top of the bench in the covered trench at 1450 ft from Ground Zero; and one was nailed to the top of the bench in the covered trench at 1800 ft from Ground Zero. These calibrated strips, white to gray in color, turn black when the temperature for which they are designed is reached (Fig. 1).

Half-inch cubes of ordinary household paraffin were mounted on 2- by 2- by $\frac{3}{4}$ -in. wood blocks by means of a brad through the center. Olive drab nylon cloth swatches 6 by 6 in., donated by the Quartermaster Research and Development Laboratory, were mounted with tacks to $7\frac{1}{2}$ - by $7\frac{1}{2}$ - by $\frac{3}{4}$ -in. wood blocks. One nylon and one paraffin sample were placed in each of the two lean-to's and in each of the two corner rooms. Three nylon and three paraffin samples were attached to the walls in the reinforced concrete basement exit and in the covered trench at 1800 ft. Two nylon and two paraffin samples were attached to the walls in the covered trench at 1450 ft. (See Fig. A.1.) The critical energy of the paraffin was estimated to be smaller than the 3 calories per square centimeter per second for the nylon cloth, but the actual value was to be determined later.

Attempts were made to measure permanent deflection of the concrete roof slabs in the reinforced concrete basement exit, in the covered trench at 1450 ft, and in the covered trenches at 1800 ft. A solid Monel wire, 0.020 in. in diameter, with one end connected to a small bolt and the other end attached to a $1\frac{1}{2}$ -lb sash weight was used as a reference line for measuring deflection. This wire was detachable and was used in the shelters before and after the blast. The bolt end of the wire was threaded through a $\frac{3}{8}$ -in. tiller guide, attached to the wall on one side, across the shelter, and through a flanged eye attached to the opposite wall at the middle of the shelter. The center point of the span on the bottom of the slab directly over the wire was marked. A steel scale graduated to $\frac{1}{64}$ in. was used to measure vertical distances from the center points to the wire.

2 TEST RESULTS

2.1 Gamma-radiation Penetration

At 5:20 A.M. on Mar. 17, 1953, the 16.4-kt device was detonated from the top of a 300-ft tower. Early reports by monitors indicated a heavy radioactive fall-out along a radial line from Ground Zero through the houses and shelters. Postoperation plans called for the entry of a recovery party at 7:30 A.M. Because of the high radiation level, postoperation plans were changed, and film badges in the basement shelters at 7500 ft were collected at 12:30 P.M. At noon on Mar. 18, 1953, a recovery party recovered badges in the basement shelters at 3500 ft and in all underground shelters except the wood-covered trench and the concrete pipe. Badges in the wood-covered trench were picked up at 12:15 P.M. on Mar. 20, 1953. No badges were recovered in the concrete pipe. Total gamma dosages are shown in Fig. A.1.

2.2 Thermal-radiation Effects

None of the paper temperature-recording strips turned black. There was no evidence that the nylon cloth swatches had melted. The paraffin cubes retained their sharp edges and showed no signs of melting, although some of them in the underground shelters changed in color to that of the surrounding soil, presumably caused by embedded dust.

2.3 Blast Effects

(a) *Reinforced Concrete Basement Exit.* For construction details of this shelter see Fig. A.2. Figure 2 shows the interior of the reinforced concrete basement exit at 1230 ft from Ground Zero. Sand weighing 28 lb was poured into the lower hollow half of the mannequin through an opening in the back at approximately waist level. Total dummy weight was about 60 lb. A child mannequin, weighing 7 lb, is not visible in the photograph. Gamma-radiation badges, nylon swatches, and paraffin cubes are shown in the background.

Figure 3 shows the same interior after the blast. The 2- by 12-in. leg of the bench near the entrance was removed by the blast. The child mannequin was undamaged, although thrown

to the floor and partially covered with sand. The female mannequin was separated in two parts by the breaking of a wood dowel pin at the waist, used to connect the upper and lower parts.

Figure 4 shows the entrance to the reinforced concrete basement exit after the blast. A $\frac{1}{16}$ -in. separation, not visible in the photograph, between the concrete steps and left entrance wall extended from the grade to the shelter floor. No other damage to the shelter was observed.

The roof slab showed no cracks. Measurements taken before and after the blast showed no permanent deflection of the roof slab.

(b) *Covered Trench Shelter at 1450 Ft from Ground Zero.* See Fig. A.3 for details of this shelter. Thirty-three pounds of sand was added to the lower part of the male mannequin in this shelter in the same manner as previously described. The total weight of the mannequin, fully clothed, was 84 lb. Marks were made on the bench and roof slab of the shelter before the blast to locate the position of the dummy.

The mannequin was not moved or damaged by the blast. No damage to the shelter was evident. The roof slab showed no cracks and had no permanent deflection at midspan.

(c) *Covered Trench Shelter at 1800 Ft from Ground Zero.* See Fig. A.3 for details of this shelter. Figure 5 shows the entrance to the covered trench shelter at 1800 ft from Ground Zero before the blast. Since no damage to the exterior occurred, the after-blast photograph was omitted.

The total weight of the male mannequin, fully clothed and with sand in the lower parts, was 84 lb. Marks were made on the bench and roof slab, as before, to locate the initial before-blast position of the mannequin.

The mannequin was not moved or damaged by the blast. No damage to the shelter was observed. The roof showed no cracks. Permanent deflection of the center of the slab measured $\frac{1}{16}$ in., but this may have been due to the limitations of accuracy of the method used.

(d) *Wood-covered Trench Shelter at 1800 Ft from Ground Zero.* For drawing of this wood-covered trench see Fig. A.4. Figure 6 shows the experimental shaft entrance to the wood-covered trench before the blast. Figure 7 shows the damage to the shaft entrance after the blast. This entrance was constructed only as a means of access to the shelter for test personnel and was not under test. Figure 7 is of interest, however, because it shows the movement of the bottom of the wall inward, probably due to the additional load resulting from the blast.

Figure 8 shows the failure of one of the longitudinal side walls of this shelter after the blast. The break occurred about midway between the end wall and the entrance. In Figure A.4 the roof joists are shown bearing on a 2- by 6-in. plate. This plate was to be attached to the block walls with $\frac{1}{2}$ -in. round bolts about 2 ft 0 in. on center. Because of a misunderstanding of the drawing during construction, the plate was attached to the walls with a total of four bolts only, one near each corner. The roof joists suffered no damage.

(e) *Covered Trench Shelter with Closed Shaft Entrance at 1800 Ft from Ground Zero.* See Fig. A.5 for drawing. Figure 9 shows the closed shaft entrance to the covered trench before the blast. This shelter suffered no damage. No cracks were noted in the concrete roof slab. There was no permanent deflection of the roof slab.

(f) *Block-wall Basement Exit at 1800 Ft from Ground Zero.* See Fig. A.6 for plan. Figure 10 is a view of the entrance to the block-wall basement exit before the blast. Figure 11 shows the minor damage done to the exterior of this shelter by the blast. There was no interior damage. The roof slab showed no evidence of any cracking.

(g) *Concrete-pipe Shelter with Closed Shaft Entrance at 1800 Ft from Ground Zero.* For construction drawing of this shelter see Fig. A.7. Figure 12 shows the shaft entrance to the concrete-pipe shelter before the blast. The blast caused no damage to this shelter. A careful examination of the entire pipe interior disclosed no cracks.

(h) *Covered Trench Shelter at 3500 Ft from Ground Zero.* This is the same type shelter that was constructed at 1800 ft from Ground Zero. Figure 13 shows the entrance to the shelter before the blast.

An unweighted, dressed male mannequin of 37 lb was placed in this shelter and its position marked on the bench and roof slab. No movement of or damage to the mannequin by blast was noticeable. The shelter was undamaged. The roof slab was uncracked.

(i) *Wooden Lean-to Shelter at 3500 and 7500 Ft from Ground Zero.* See Fig. A.8 for the construction drawing. This shelter was built 6 ft 0 in. long instead of the 8 ft 0 in. shown. Figures 14 and 15 show the wooden lean-to in the basement of the house at 3500 ft before and after the blast. The mannequin in the shelter was removed after the explosion and before the photograph was taken.

Figure 16 shows the wooden lean-to shelter in the basement of the house at 7500 ft before the blast. The clothed female dummies weighed 30 lb each, and the child weighed 7 lb. All mannequins were undamaged and remained in their original positions.

No damage was caused to either shelter by the blast.

(j) *Basement Corner Room Shelter at 3500 and 7500 Ft from Ground Zero.* For drawing of this shelter see Fig. A.9. Figure 17 is a view of the interior of this shelter in the house at 3500 ft before the blast. Figures 18 and 19 show the interior of this shelter at 7500 ft before and after the blast. Male mannequins weighed 35 lb; females, 30 lb; and the child, 7 lb. None of these mannequins were damaged or moved by the blast.

Figure 20 illustrates the minor damage in the basement corner room at 3500 ft after the blast. Only one roof joist cracked under the debris load of the collapsed house above.

The basement corner room at 7500 ft was not damaged.

3 DISCUSSION

3.1 Analysis of Gamma-radiation Data

Badges were placed in all shelters to measure initial gamma radiation. Very little penetration was expected because of the relatively large mass of earth between the explosion and the interiors of the shelters resulting from the low incident angle caused by the 300-ft burst. Recovery of the badges was expected within 2 hr after the detonation. A severe fall-out in the area covered the shelters and houses and delayed postoperation plans. The badges in the basement shelters at 7500 ft were recovered 7 hr after the blast and most of the others 30 hr after. A few were collected as late as 78 hr after the explosion.

High residual radiation levels remained in the area for two days. Monitor reports showed wide fluctuations in readings, probably due to the shifting of the sand and dust under the action of the wind. Under these conditions it was impossible to differentiate between the amounts of initial and residual radiation to which the badges had been exposed.

3.2 Analysis of Thermal-radiation-effects Data

The paper temperature-recording strips in the shelters at 1230, 1450, and 1800 ft did not show discoloration. This would indicate that if there was any rise in temperature it did not increase sufficiently to reach 52°C or 94°F, the lowest temperature which the strips were designed to record.

Since there was no melting of the nylon swatches or paraffin cubes, the amount of thermal energy entering the shelters even at close ranges must have been small, probably not sufficient to cause even slight skin burns.

3.3 Analysis of Blast-effects Data

The pressure inside the reinforced concrete basement exit type shelter at 1230 ft was sufficient to break the bench. The actual pressure acting on the bench and mannequin is unknown. About 75% of the weight of the mannequin was located below the waist. It seems possi-

ble that the blast wave entering the shelter through the entrance may have exerted sufficient force between the wall of the shelter and the back of the mannequin to accelerate the light upper half forward, breaking the dowel pin connecting the two parts and twisting the upper part to its after-blast position. From the after-blast position of the lower part of the mannequin, it can be assumed that the dropping of the entrance end of the bench plus the force exerted in breaking the upper part loose were the causes of its displacement. The damage to the mannequin indicated that pressure inside this shelter should be studied.

The mannequins in the shelters at 1450 and 1800 ft did not move; yet the test pressure at the 1450-ft shelter was only 35% less than that at the reinforced concrete basement exit shelter. The entrances of the 1230- and 1450-ft shelters, however, had different orientations (see Fig. A.1), and this may have had some effect on the admission of pressure.

The concrete roof slabs of the underground shelters were designed to resist a dynamic load, with the maximum midspan deflection limited to about $\frac{1}{30}$ of the span. With this deflection, cracking of the slab was to be expected since the reinforcing steel was allowed to yield. However, no cracks were visible. Deflections must have been in the elastic range since no permanent deflections were observed.

At first it was believed that the design assumptions were in error: (1) that the mass of the earth cover acted with the slab, (2) that there was no attenuation of pressure on the roof slab through the soil, and (3) that pressure on the underside of the slab was zero. Later, when the actual pressures on the shelters were found to be much lower than anticipated, the behavior of the slabs was understandable. Under the test pressures listed below the slabs acted elastically.

Shelter	Distance to GZ, ft	Design pressure, psi	Test pressure, psi
R.C. basement exit	1230	50	23
Covered trench	1450	23	15
Covered trench	1800	23	10

No conclusions relative to the adequacy of the wood-covered trench should be drawn from the failure of the wall. If the proper number of anchor bolts had been used to anchor the plates to the walls, it is believed that the tops of the walls would have been sufficiently braced to cause the walls to span the distances between the roof and floor without failure.

The debris load on the basement shelters at 3500 ft was small; so these shelters were not tested to their maximum capacity, such as might be experienced in the collapse of a masonry house.

3.4 Conclusions

Thermal energy entering the shelters probably would not have caused skin burns to human occupants.

There is some evidence that pressure inside the shelters may cause injury to occupants and that their safety may depend upon the orientation of the entrances.

Although the adequacy of the shelters at full design pressures could not be determined, since the actual test pressures were about one-half the design value, the test nevertheless showed that the designs are structurally satisfactory at the pressures received. Since in any atomic attack the majority of residences in the attack area—and consequently the home type shelters—would not be in the regions of high pressure, the information obtained was of value to Civil Defense.

3.5 Recommendations

Future tests should be made to subject the reinforced concrete basement exit shelter and the covered trench shelter to blast pressures of about 45 and 25 psi, respectively.

The wood-covered trench, built according to plan, should be tested again at a blast pressure of about 25 psi.

Both types of indoor shelters should be tested under the debris load of a masonry house. All future tests of shelters should include instrumentation to measure interior temperatures and blast pressures.

Future tests should include devices for reducing or keeping out the blast pressures.

REFERENCE

1. Archie P. Flynn, FCDA Family Shelter Evaluation, Buster Project 9.1a Report, WT-359, 1952.




Fig. 1—Temperature-recording strips.



Fig. 2—Reinforced concrete basement exit before blast.



Fig. 3—Reinforced concrete basement exit after blast.



Fig. 4—Entrance to reinforced concrete basement exit after blast.



Fig. 5—Entrance to covered trench at 1800 ft before blast.




Fig. 6—Shaft entrance to wood-covered trench before blast.



Fig. 7—Shaft entrance to wood-covered trench after blast.



Fig. 8—Blast damage to wood-covered trench.




Fig. 9—Closed entrance to covered trench before blast.



Fig. 10—Entrance to block-wall basement exit before blast.



Fig. 11—Entrance to block-wall basement exit after blast.




Fig. 12—Shaft entrance to concrete pipe before blast.




Fig. 13—Covered trench at 3500 ft before blast.



Fig. 14—Lean-to at 3500 ft before blast.

UNCLASSIFIED

28

~~CONFIDENTIAL—RESTRICTED DATA~~




Fig. 15—Lean-to at 3500 ft after blast.

UNCLASSIFIED

~~CONFIDENTIAL - RESTRICTED DATA~~



Fig. 16—Lean-to at 7500 ft before blast.

UNCLASSIFIED



Fig. 17— Basement corner room at 3500 ft before blast.

UNCLASSIFIED
31

~~CONFIDENTIAL RESTRICTED DATA~~



Fig. 18—Basement corner room at 7500 ft before blast.

UNCLASSIFIED



Fig. 19—Basement corner room at 7500 ft after blast.

UNCLASSIFIED

33

~~CONFIDENTIAL — RESTRICTED DATA~~



Fig. 20—Damage to basement corner room at 3500 ft.

UNCLASSIFIED

34

~~CONFIDENTIAL RESTRICTED DATA~~



APPENDIX

LOCATIONS AND STRUCTURAL DETAILS OF SHELTERS


UNCLASSIFIED

35-36


~~CONFIDENTIAL RESTRICTED DATA~~




SECTION A-A




SECTION B-B



SECTION C-C
SECTION D-D (OPP. HAND)



SECTION E-E




SECTION F-F

LOCATION PLAN

NO SCALE

NOTES

- EXCEPT AS NOTED ALL UNDERGROUND SHELTERS HAVE 3'-0" OF EARTH COVER.
- FIGURES DENOTED THUS (740) AND 640 ARE TOTAL GAMMA RADIATION DOSES IN ROENTGENS REFERRING TO READINGS OF THE UPPER LAYER.
- INDICATES GAMMA RADIATION BADGE
- ◇ N INDICATES NYLON SWATCH
- ◇ P INDICATES PARAFFINE CUBE






TYPICAL LONGITUDINAL SECTION THRU SHELTERS


Fig. A.1—Location plan.

UNCLASSIFIED

CONFIDENTIAL




SECTION J-J



SECTION H-H

ROUND SHELTERS

AND 640 INDICATE
IN ROENTGENS, THE ()
UPPER LAYER OF BADGES.
EDGE



SECTION G-G








Fig. A.2 UNCL


SECTION F-F

UNCLASSIFIED 38


CONFIDENTIAL RESTRICTED DATA



SECTION G-G



SECTION M-M



SECTION N-N




NOTE:
ALL CONCRETE TO BE 3000*


A.2 concrete basement exit.

UNCLASSIFIED


~~RESTRICTED DATA~~



SECTION A-A



PLAN




NOTES


- BLOCK WALLS LAID UP WITH MORTAR.
- FILL CELLS OF ALL BLOCKS WITH CONCRETE.
- USE 3000 CONCRETE IN ROOF SLAB.
- SLAB REINFORCING BARS TO BE STRAIGHT STANDARD A-305 OR ORDINARY DEFORMED WITH HOOKED ENDS.

UNCLASSIFIED



~~CONFIDENTIAL RESTRICTED DATA~~



SECTION A-A



PLAN




SECTION B-B


NOTES
 BLOCK WALLS LAID UP WITH MORTAR.
 FILL CELLS OF BLOCKS WITH CONCRETE.
 ALL WOOD TO BE NOT LESS THAN
 NO. 2 COMMON.

UNCLASSIFIED


~~CONFIDENTIAL RESTRICTED DATA~~



SECTIONAL PLAN




SEC




SECTION A-A

Fig. A.6—Block-wall basement exit.

UNCLASSIFIED
~~CONFIDENTIAL RESTRICTED DATA~~



SECTION B-B



SECTION C-C

NOTES:
 BLOCK WALLS LAID UP WITH MORTAR.
 FILL CELLS OF ALL BLOCKS WITH
 CONCRETE.
 USE 3000# CONCRETE IN ROOF SLAB.
 SLAB REINFORCING BARS TO BE
 STRAIGHT STANDARD A-305 OR
 ORDINARY DEFORMED WITH
 HOOKED ENDS.

exit.




Fig. A.7—Concrete pipe with closed shaft entrance.

NOTES:

OC. = ON CENTER

∅ = DIAMETER

2" x 10" TO BE NAILED TO CINDER
BLOCK WALL WITH HARDENED
CUT NAILS 12" O.C.

ALL WOOD TO BE NOT LESS
THAN NO. 2 COMMON




Fig. A.8—Wooden lean-to at 3500 and 7500 ft.




Fig. A.9—Basement corner room at 3500 and 7500 ft. All wood to be not less than No. 2 common. Roof to be prefabricated and erected as a unit.

~~CONFIDENTIAL - UNCLASSIFIED DATA~~
UNCLASSIFIED

DISTRIBUTION

	Copy
ARMY ACTIVITIES	
Asst. Chief of Staff, G-1, D/A, Washington 25, D. C., ATTN: Human Relations and Research Board	1
Asst. Chief of Staff, G-2, D/A, Washington 25, D. C.	2
Asst. Chief of Staff, G-3, D/A, Washington 25, D. C., ATTN: Dep. Cofs, G-3 (RR&SW)	3
Asst. Chief of Staff, G-4, D/A, Washington 25, D. C.	4
Chief of Ordnance, D/A, Washington 25, D. C., ATTN: ORDTX-AR	5
Chief Signal Officer, D/A, P&O Division, Washington 25, D. C., ATTN: SIGOP	6-8
The Surgeon General, D/A, Washington 25, D. C., ATTN: Chairman, Medical R&D Board	9
Chief Chemical Officer, D/A, Washington 25, D. C.	10-11
The Quartermaster General, CBR, Liaison Officer, Research and Development Division, D/A, Washington 25, D. C.	12-13
Chief of Engineers, D/A, Washington 25, D. C., ATTN: ENGNB	14-18
Chief of Transportation, Military Planning and Intelligence Division, Washington 25, D. C.	19
Chief, Army Field Forces, Ft. Monroe, Va.	20-28
President, Board #1, OCAFF, Ft. Bragg, N. C.	29
President, Board #2, OCAFF, Ft. Knox, Ky.	30
President, Board #3, OCAFF, Ft. Benning, Ga.	31
President, Board #4, OCAFF, Ft. Bliss, Tex.	32
Commanding General, First Army, Governor's Island, New York 4, N. Y.	33
Commanding General, Second Army, Ft. George G. Meade, Md.	34
Commanding General, Third Army, Ft. McPherson, Ga., ATTN: ACofS, G-3	35
Commanding General, Fourth Army, Ft. Sam Houston, Tex., ATTN: G-3 Section	36
Commanding General, Fifth Army, 1660 E. Hyde Park Blvd., Chicago 15, Ill.	37
Commanding General, Sixth Army, Presidio of San Francisco, Calif., ATTN: AMGCT-4	38
Commanding General, U. S. Army Caribbean, Ft. Amador, C. Z., ATTN: Cml. Off.	39
Commanding General, USARFANT & MDPR, Ft. Brooke, Puerto Rico	40
Commanding General, U. S. Forces Austria, APO 160, c/o PM, New York, N. Y., ATTN: ACofS, G-3	41
Commander-in-Chief, European Command, APO 128, c/o PM, New York, N. Y.	42
Commander-in-Chief, Far East Command, APC 500, c/o PM, San Francisco, Calif., ATTN: ACofS, J-3	43-44
Commanding General, U. S. Army Forces Far East (Main), APO 343, c/o PM, San Francisco, Calif., ATTN: ACofS, J-3	45
Commanding General, U. S. Army Alaska, APO 942, c/o PM, Seattle, Wash.	46
Commanding General, U. S. Army Europe, APO 403, c/o PM, New York, N. Y., ATTN: OPOT Division, Combat Dev. Br.	47-48
Commanding General, U. S. Army Pacific, APO 958, c/o PM, San Francisco, Calif., ATTN: Cml. Off.	49-50
Commandant, Command and General Staff College, Ft. Leavenworth, Kan., ATTN: ALLLS(AS)	51-52
Commandant, Army War College, Carlisle Barracks, Pa., ATTN: Library	53-55
Commandant, The Infantry School, Ft. Benning, Ga., ATTN: C. D. S.	56
Commandant, The Artillery School, Ft. Sill, Okla.	57
Commandant, The AA&GM Branch, The Artillery School, Ft. Bliss, Tex.	58

	Copy
Commandant, The Armored School, Ft. Knox, Ky.	59
Commanding General, Medical Field Service School, Brooke Army Medical Center, Ft. Sam Houston, Tex.	60
Director, Special Weapons Development Office, Ft. Bliss, Tex., ATTN: Lt. Arthur Jaskierny	61
Commandant, Army Medical Service Graduate School, Walter Reed Army Medical Center, Washington 25, D. C.	62
Superintendent, U. S. Military Academy, West Point, N. Y., ATTN: Professor of Ordnance	63
Commandant, Chemical Corps School, Chemical Corps Training Command, Ft. McClellan, Ala.	64
Commanding General, Research and Engineering Command, Army Chemical Center, Md., ATTN: Deputy for RW and Non-Toxic Material	65-66
Commanding General, Aberdeen Proving Ground, Md. (inner envelope), ATTN: RD Control Officer (for Dir., Ballistic Research Labs.)	67-68
Commanding General, The Engineer Center, Ft. Belvoir, Va., ATTN: Asst. Commandant, Engineer School	69-71
Commanding Officer, Engineer Research and Development Laboratory, Ft. Belvoir, Va., ATTN: Chief, Technical Intelligence Branch	72
Commanding Officer, Picatinny Arsenal, Dover, N. J., ATTN: ORDBB-TK	73
Commanding Officer, Frankford Arsenal, Philadelphia 37, Pa. (inner envelope), ATTN: RD Control Off.	74
Commanding Officer, Army Medical Research Laboratory, Ft. Knox, Ky.	75
Commanding Officer, Chemical Corps Chemical and Radiological Laboratory, Army Chemical Center, Md., ATTN: Tech. Library	76-77
Commanding Officer, Transportation R&D Station, Ft. Eustis, Va.	78
Commanding General, The Transportation Center and Ft. Eustis, Va., ATTN: Military Science and Tactics Board	79
Director, Technical Documents Center, Evans Signal Laboratory, Belmar, N. J.	80
Director, Waterways Experiment Station, PO Box 631, Vicksburg, Miss., ATTN: Library	81
Director, Operations Research Office, Johns Hopkins University, 6410 Connecticut Ave., Chevy Chase, Md., ATTN: Library	82
 NAVY ACTIVITIES	
Chief of Naval Operations, D/N, Washington 25, D. C., ATTN: OP-36	83-84
Chief of Naval Operations, D/N, Washington 25, D. C., ATTN: OP-37	85
Chief of Naval Operations, D/N, Washington 25, D. C., ATTN: OP-374(OEG)	86
Chief of Naval Operations, D/N, Washington 25, D. C., ATTN: OP-322V	87
Chief, Bureau of Medicine and Surgery, D/N, Washington 25, D. C., ATTN: Special Weapons Defense Division	88
Chief, Bureau of Ordnance, D/N, Washington 25, D. C.	89
Chief of Naval Personnel, D/N, Washington 25, D. C.	90
Chief, Bureau of Ships, D/N, Washington 25, D. C., ATTN: Code 348	91
Chief, Bureau of Yards and Docks, D/N, Washington 25, D. C., ATTN: P-312	92
Chief, Bureau of Supplies and Accounts, D/N, Washington 25, D. C.	93
Chief, Bureau of Aeronautics, D/N, Washington 25, D. C.	94-95
Chief of Naval Research, D/N, Washington 25, D. C., ATTN: Lt.(jg) F. McKee, USN	96
Commander-in-Chief, U. S. Pacific Fleet, Fleet Post Office, San Francisco, Calif.	97-98
Commander-in-Chief, U. S. Atlantic Fleet, U. S. Naval Base, Norfolk 11, Va.	99-100
Commandant, U. S. Marine Corps, Washington 25, D. C., ATTN: AOSH	101-104
President, U. S. Naval War College, Newport, R. I.	105
Superintendent, U. S. Naval Postgraduate School, Monterey, Calif.	106
Commanding Officer, U. S. Naval Schools Command, U. S. Naval Station, Treasure Island, San Francisco, Calif.	107
Director, USMC Development Center, USMC Schools, Quantico, Va., ATTN: Tactics Board	108
Director, USMC Development Center, USMC Schools, Quantico, Va., ATTN: Equipment Board	109
Commanding Officer, U. S. Fleet Training Center, Naval Base, Norfolk 11, Va., ATTN: Special Weapons School	110
Commanding Officer, U. S. Fleet Training Center, Naval Station, San Diego 36, Calif., ATTN: (SPWP School)	111-112

	Copy
Commanding Officer, Air Development Squadron 5, VX-5, U. S. Naval Air Station, Moffett Field, Calif.	113
Commanding Officer, U. S. Naval Damage Control Training Center, Naval Base, Philadelphia 12, Pa., ATTN: ABC Defense Course	114
Commanding Officer, U. S. Naval Unit, Chemical Corps School, Army Chemical Training Center, Ft. McClellan, Ala.	115
Joint Landing Force Board, Marine Barracks, Camp Lejeune, N. C.	116
Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: EE	117
Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: EH	118
Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: R	119
Commander, U. S. Naval Ordnance Test Station, Inyokern, China Lake, Calif.	120
Officer-in-Charge, U. S. Naval Civil Engineering Research and Evaluation Laboratory, U. S. Naval Construction Battalion Center, Port Hueneme, Calif., ATTN: Code 753	121
Commanding Officer, U. S. Naval Medical Research Institute, National Naval Medical Center, Bethesda 14, Md.	122
Director, U. S. Naval Research Laboratory, Washington 25, D. C.	123
Director, The Material Laboratory, New York Naval Shipyard, Brooklyn, N. Y.	124
Commanding Officer and Director, U. S. Navy Electronics Laboratory, San Diego 52, Calif., ATTN: Code 4223	125
Commanding Officer, U. S. Naval Radiological Defense Laboratory, San Francisco 24, Calif., ATTN: Technical Information Division	126-129
Officer-in-Charge, Special Weapons Supply Depot, U. S. Naval Supply Center, Norfolk 11, Va.	130
Commanding Officer and Director, David W. Taylor Model Basin, Washington 7, D. C., ATTN: Library	131
Commander, U. S. Naval Air Development Center, Johnsville, Pa.	132
Director, Office of Naval Research Branch Office, 1000 Geary Street, San Francisco, Calif.	133-134
Officer-in-Charge, U. S. Naval Clothing Factory, U. S. Naval Supply Activities, New York, 3rd Avenue and 29th Street, Brooklyn, N. Y., ATTN: R&D Division	135
 AIR FORCE ACTIVITIES	
Asst. for Atomic Energy, Headquarters, USAF, Washington 25, D. C., ATTN: DCS/O	136
Asst. for Development Planning, Headquarters, USAF, Washington 25, D. C.	137
Deputy for Materiel Control, Asst. for Materiel Program Control, DCS/M, Headquarters, USAF, Washington 25, D. C., ATTN: AFMPC-AE	138
Director of Operations, Headquarters, USAF, Washington 25, D. C., ATTN: Operations Analysis	139
Director of Operations, Headquarters, USAF, Washington 25, D. C.	140
Director of Plans, Headquarters, USAF, Washington 25, D. C., ATTN: War Plans Division	141
Directorate of Requirements, Headquarters, USAF, Washington 25, D. C., ATTN: AFDRQ-SA/M	142
Director of Research and Development, Headquarters, USAF, Washington 25, D. C., ATTN: Combat Components Div.	143
Director of Intelligence, Headquarters, USAF, Washington 25, D. C., ATTN: AFOIN 1B2	144-145
The Surgeon General, Headquarters, USAF, Washington 25, D. C., ATTN: Bio. Def. Br., Pre. Med. Div.	146
Asst. Chief of Staff, Intelligence, Headquarters, U. S. Air Forces Europe, APO 633, c/o PM, New York, N. Y., ATTN: Air Intelligence Branch	147
Commander, 497th Reconnaissance Technical Squadron (Augmented), APO 633, c/o PM, New York, N. Y.	148
Commander, Far East Air Forces, APO 925, c/o PM, San Francisco, Calif.	149
Commander, Alaskan Air Command, APO 942, c/o PM, Seattle, Wash., ATTN: AAOTN	150-151
Commander, Northeast Air Command, APO 862, c/o PM, New York, N. Y.	152
Commander, Strategic Air Command, Offutt AFB, Omaha, Neb., ATTN: Special Weapons Branch, Inspection Div., Inspector General	153
Commander, Tactical Air Command, Langley AFB, Va., ATTN: Documents Security Branch	154

	Copy
Commander, Air Defense Command, Ent AFB, Colo.	155
Commander, Air Materiel Command, Wright-Patterson AFB, Dayton, O., ATTN: MCAIDS	156-157
Commander, Air Materiel Command, Wright-Patterson AFB, Dayton, O., ATTN: MCSW	158
Commander, Air Training Command, Scott AFB, Belleville, Ill., ATTN: DCS/O GTP	159
Commander, Air Research and Development Command, PO Box 1395, Baltimore, Md., ATTN: RDDN	160
Commander, Air Proving Ground Command, Eglin AFB, Fla., ATTN: AG/TRB	161
Commander, Air University, Maxwell AFB, Ala.	162-163
Commander, Flying Training Air Force, Waco, Tex., ATTN: Director of Observer Training	164-171
Commander, Crew Training Air Force, Randolph Field, Tex., ATTN: 2GTS, DCS/O	172
Commander, Headquarters, Technical Training Air Force, Gulfport, Miss., ATTN: TA&D	173
Commandant, Air Force School of Aviation Medicine, Randolph AFB, Tex.	174-175
Commander, Wright Air Development Center, Wright-Patterson AFB, Dayton, O., ATTN: WCOESP	176-181
Commander, Air Force Cambridge Research Center, 230 Albany Street, Cambridge 39, Mass., ATTN: CRW, Atomic Warfare Directorate	182
Commander, Air Force Cambridge Research Center, 230 Albany Street, Cambridge 39, Mass., ATTN: CRQST-2	183
Commander, Air Force Special Weapons Center, Kirtland AFB, N. Mex., ATTN: Library	184-186
Commandant, USAF Institute of Technology, Wright-Patterson AFB, Dayton, O., ATTN: Resident College	187
Commander, Lowry AFB, Denver, Colo., ATTN: Department of Armament Training	188
Commander, 1009th Special Weapons Squadron, Headquarters, USAF, Washington 25, D. C.	189
The RAND Corporation, 1700 Main Street, Santa Monica, Calif., ATTN: Nuclear Energy Division	190-191

OTHER DEPARTMENT OF DEFENSE ACTIVITIES


Executive Secretary, Joint Chiefs of Staff, Washington 25, D. C.	192
Asst. Secretary of Defense, Research and Development, D/D, Washington 25, D. C.	193-194
U. S. National Military Representative, Headquarters, SHAPE, APO 55, c/o PM, New York, N. Y., ATTN: Col. J. P. Healy	195
Director, Weapons Systems Evaluation Group, OSD, Rm 2E1006, Pentagon, Washington 25, D. C.	196
Asst. for Civil Defense, OSD, Washington 25, D. C.	197
Chairman, Armed Services Explosives Safety Board, D/D, Rm 2403, Barton Hall, Washington 25, D. C.	198
Executive Secretary, Military Liaison Committee, PO Box 1814, Washington 25, D. C.	199
Commandant, National War College, Washington 25, D. C., ATTN: Classified Records Library	200
Commandant, Armed Forces Staff College, Norfolk 11, Va., ATTN: Secretary	201
Commandant, Industrial College of the Armed Forces, Ft. Lesley J. McNair, Washington 25, D. C.	202
Commanding General, Field Command, Armed Forces Special Weapons Project, PO Box 5100, Albuquerque, N. Mex.	203-208
Chief, Armed Forces Special Weapons Project, PO Box 2610, Washington 13, D. C.	209-217

ATOMIC ENERGY COMMISSION ACTIVITIES

U. S. Atomic Energy Commission, Classified Technical Library, 1901 Constitution Ave., Washington 25, D. C., ATTN: Mrs. J. M. O'Leary (for DMA)	216-220
Los Alamos Scientific Laboratory, Report Library, PO Box 1663, Los Alamos, N. Mex., ATTN: Helen Redman	221-223
Sandia Corporation, Classified Document Division, Sandia Base, Albuquerque, N. Mex., ATTN: Martin Lucero	224-238
University of California Radiation Laboratory, PO Box 808, Livermore, Calif., ATTN: Margaret Folden	239-240
U. S. Atomic Energy Commission, Classified Technical Library, 1901 Constitution Ave., Washington 25, D. C., ATTN: Mrs. J. M. O'Leary (for DBM)	241-245

UNCLASSIFIED

UNCLASSIFIED



U. S. Atomic Energy Commission, Classified Technical Library, 1901 Constitution Ave.,
Washington 25, D. C., ATTN: Mrs. J. M. O'Leary (for Director, CETG)
Weapon Data Section, Technical Information Service, Oak Ridge, Tenn.
Technical Information Service, Oak Ridge, Tenn. (surplus)

Copy

246-249
250
251-335

FEDERAL CIVIL DEFENSE ADMINISTRATION

Administrator, Federal Civil Defense Administration, Washington 25, D. C., ATTN:
Paul S. Cooper, Security Division

336-345

UNCLASSIFIED

